

| Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition |
|--------|-----|------|--|-------|---------------------|----------|------------------|
| 1 BRS | L1 | 527 | 257/536 | USPAT | 2001/05/29 12:03 | | |
| 2 BRS | L2 | 272 | 257/537 | USPAT | 2001/05/29 12:03 | | |
| 3 BRS | L3 | 268 | 257/538 | USPAT | 2001/05/29 12:03 | | |
| 4 BRS | L4 | 243 | 257/539 | USPAT | 2001/05/29 12:03 | | |
| 5 BRS | L5 | 31 | 257/540 | USPAT | 2001/05/29 12:03 | | |
| 6 BRS | L6 | 51 | 257/541 | USPAT | 2001/05/29 12:03 | | |
| 7 BRS | L7 | 54 | 257/542 | USPAT | 2001/05/29 12:03 | | |
| 8 BRS | L8 | 49 | 257/543 | USPAT | 2001/05/29 12:03 | | |
| 9 BRS | L9 | 658 | 257/379 | USPAT | 2001/05/29 12:03 | | |
| 10 BRS | L10 | 128 | 257/516 | USPAT | 2001/05/29 12:03 | | |
| 11 BRS | L11 | 282 | 257/358 | USPAT | 2001/05/29 12:03 | | |
| 12 BRS | L12 | 200 | 257/154 | USPAT | 2001/05/29 12:03 | | |
| 13 BRS | L13 | 2122 | 1 2 3 4 5 6 7 8 9 10 11 12 | USPAT | 2001/05/29 12:04 | | |
| 14 BRS | L14 | 340 | 13 and interconnect | USPAT | 2001/05/29 12:04 | | |
| 15 BRS | L15 | 1 | 13 and (inter-layer adj dielectric) | USPAT | 2001/05/29 12:04 | | |
| 16 BRS | L16 | 20 | 13 and (interlayer adj dielectric) | USPAT | 2001/05/29 12:05 | | |
| 17 BRS | L18 | 2 | 13 and (inter-layer near2 dielectric) | USPAT | 2001/05/29 12:05 | | |
| 18 BRS | L17 | 21 | 13 and (interlayer near2 dielectric) | USPAT | 2001/05/29 15:05 | | |

| | Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition |
|----|------|-----|------|---|-------|---------------------|----------|--|
| 19 | BRS | L19 | 281 | 13 and resist | USPAT | 2001/05/29 12:05 | | |
| 20 | BRS | L20 | 1563 | 13 and resist\$ | USPAT | 2001/05/29 12:05 | | Truncation Overflow. Return string from Server is: 5`0`0`RES |
| 21 | BRS | L21 | 19 | 20 and (interlayer near2 dielectric) | USPAT | 2001/05/29 15:05 | | |
| 22 | BRS | L22 | 10 | 21 and resistor | USPAT | 2001/05/29 15:05 | | |
| 23 | BRS | L23 | 1281 | 13 and resistor | USPAT | 2001/05/29 15:05 | | |
| 24 | BRS | L24 | 10 | 23 and (interlayer near3 dielectric) | USPAT | 2001/05/29 15:10 | | |
| 25 | BRS | L25 | 430 | 23 and dielectric | USPAT | 2001/05/29 15:10 | | |
| 26 | BRS | L26 | 133 | 25 and interconnect | USPAT | 2001/05/29 15:30 | | |
| 27 | BRS | L27 | 297 | 25 not 26 | USPAT | 2001/05/29 15:31 | | |
| 28 | BRS | L29 | 41 | 23 and ((tantalum adj nitride) or (silicon adj chromide) or (nickel adj chromide) or (nickel adj chromium)) | USPAT | 2001/05/29 17:14 | | |
| 29 | BRS | L30 | 4 | 23 and (hard adj mask) | USPAT | 2001/05/29 15:35 | | |
| 30 | BRS | L31 | 31 | 23 and (resistor near2 mask) | USPAT | 2001/05/29 17:16 | | |
| 31 | BRS | L32 | 45 | 23 and (resistor near2 mask\$) | USPAT | 2001/05/29 17:45 | | Truncation Overflow. Return string from Server is: 5`181285` |

| | Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition |
|----|------|-----|------|---|-------|---------------------|----------|--|
| 32 | BRS | L33 | 1 | 23 and (mask\$ near3 (TiW or Tin)) | USPAT | 2001/05/29 17:45 | | Truncation Overflow. Return string from Server is: 5`0`0`MAS |
| 33 | BRS | L34 | 2 | 23 and (mask\$ near3 ((titanium adj tungsten) or USPAT (titanium adj nitride))) | USPAT | 2001/05/29 17:46 | | Truncation Overflow. Return string from Server is: 5`0`0`MAS |
| 34 | BRS | L35 | 3 | 33 34 | USPAT | 2001/05/29 17:46 | | |